

REFERENCES

- Ashley, J.T.F., and J. Baker. 1999. Hydrophobic organic contaminants in surficial sediments of Baltimore Harbor: Inventories and sources. *Environ. Tox. Chem.* **18**: 838-849.
- Baker, J. E. and S. J. Eisenreich 1990. Concentrations and fluxes of polycyclic aromatic hydrocarbons and polychlorinated biphenyls across the air-water interface of lake superior. *Environmental Science & Technology* **42**: 342-352.
- Costa, H.J., and T.C. Sauer. 1994. Distributions of Chemical Contaminants and Acute Toxicity in Delaware Estuary Sediments. Report prepared by Arthur. D. Little, Inc. (ADL) and Battelle Ocean Sciences for the U.S. EPA and the Delaware River Basin Commission.
- Fisk, A. T., R. J. Norstrom, C. D. Cymbalisty and D. C. G. Muir 1998. Dietary accumulation and depuration of hydrophobic organochlorines: Bioaccumulation parameters and their relationship with the octanol/water partition coefficient. *Environmental Toxicology and Chemistry* **17**(5): 951-961.
- Frithsen, J.B., D.E. Strelbel, S. Schreiner, and T. Schawitsch. 1995. Estimates of contaminant inputs to the DE Estuary. Report prepared for the US EPA, Region III, Philadelphia, PA.
- Gobas, F. A. P. C., D. C. G. Muir and D. Mackay 1988. Dynamics of dietary bioaccumulation and faecal elimination of hydrophobic organic chemicals in fish. *Chemosphere* **17**: 943-962.
- Hartwell, S.I., J. Hameedi, and M. Harmon. 2001. Magnitude and Extent of Contaminated Sediment and Toxicity in the Delaware Bay (NOAA Technical Memorandum NOS ORCA 148). National Oceanic and Atmospheric Administration, Silver Spring, MD.
- Hoffman, E.J., G.L. Mills, J.S. Latimer, and J.G. Quinn. 1984. Urban runoff as a source of polycyclic aromatic hydrocarbons to coastal waters. *Environ. Sci. Technol.* **18**: 580-586.
- Horwitz, R.J., T.K. O'Donnell, P. Overbeck, A. Kindt, and J. Ashley. 2002. Feeding habits of selected fishes in the Delaware River Estuary. Report #.02-17 submitted to the Environmental Associates.
- Kannan, K., K. A. Maruya and S. Tanabe 1997. Distribution and characterization of polychlorinated biphenyl congeners in soil and sediments from a superfund site contaminated with aroclor 1268. *Environmental Science & Technology* **31**(5): 1483-1488.
- Klauda, RJ, JB McLaren, RE Schmidt, and WP Dey. 1988. Life history of white perch in the Hudson River Estuary. *Am. Fish. Soc. Monogr.* **4**:69-88
- Latimer, J.S., L.A. Leblanc, J.T. Ellis, J. Zheng, and J.G. Quinn. 1990. The sources of PCBs the Narragansett Bay estuary. *Sci. Tot. Environ.* **97/98**:155-167.

- Leister, D.L., and J.E. Baker. 1994. Atmospheric deposition of organic contaminants to the Chesapeake Bay. *Atmos Environ* **28**:1499-1520.
- Mackay, D. and A. Fraser 2000. Bioaccumulation of persistent organic chemicals: Mechanisms and models. *Environmental Pollution* **110**(3): 375-391.
- Mansueti, R.J. (1961). Movements, reproduction, and mortality of the White Perch, *Roccus americanus*, in the Patuxent Estuary, Maryland. *Ches. Science* **2**: 142-205.
- Maruya, K. A. and R. E. Lee 1998. Biota-sediment accumulation and trophic transfer factors for extremely hydrophobic polychlorinated biphenyls. *Environmental Toxicology and Chemistry* **17**(12): 2463-2469.
- Meglan, R.R. 1992. Examining large databases: A chemometric approach using principal component analysis. *Mar. Chem.* **39**: 217-237.
- Mullin, M.D. 1985 Workshop, U.S. Environmental Protection Agency Large Lakes Research Station, U.S. EPA, Grosse Ile., MI, USA.
- Oliver, B. G. and A. J. Niimi 1988. Trophodynamic analysis of polychlorinated biphenyl congeners and other chlorinated hydrocarbons in the lake ontario ecosystem. *Environmental Science & Technology* **22**: 388-397.
- Pellett, T.D., G.J. Van Dyck, and J.V. Adams. 1998. Seasonal migration and homing of channel catfish in the lower Wisconsin River, Wisconsin. *N. Am. J. Fish. Manage.* **18**: 85-95.
- Rand, G.M., Wells, P.G., McCarthy, L.S. 1995 Introduction to aquatic ecology. In: Rand, G.M. (Ed.) Fundamentals of Aquatic Toxicology. Taylor and Francis, London, pp. 3-53.
- Schwartz, T.R., and D.L. Stalling. 1991. Chemometric comparison of polychlorinated biphenyl residues and toxicologically active polychlorinated biphenyl congeners in the eggs of Foster's Terns (*Sterna fosteri*) *Arch Environ Contam Toxicol* **20**: 183-199.
- Shaw, G. R. and D. W. Connell 1984. Physiochemical properties controlling polychlorinated biphenyl (pcb) concentrations in aquatic organisms. *Environmental Science & Technology* **18**: 18-23.
- Thomann, R.V., J.P. Connolly, and T.F. Parkerton. 1992. An equilibrium model of organic chemical accumulation in aquatic food webs with sediment interactions. *Environ. Tox. Chem.* **11**: 615-629.
- Thomann, R.V., J.A. Mueller, R.P. Winfield, and C. Huang. 1991. Model of fate and accumulation of PCB homologues in the Hudson estuary. *J. Environ. Engin.* **117**: 161-178.

Thomann, R.V. 1989. Bioaccumulation model of organic chemical distribution in aquatic food chains. *Environ. Sci. Technol.* **23**: 699-707.

Totten, L., Eisenreich, S.J., and J. Reinfelder. 2001. Delaware River Estuary Air, Water and Sediment Field Study: 2001-2002. A proposal submitted to DRBC.

Tracey, G. A. and D. J. Hansen 1996. "Use of biota-sediment accumulation factors to assess similarity of nonionic organic chemical exposure to benthically-coupled organisms of differing trophic mode." *Archives of Environmental Contamination and Toxicology* **30**: 467-475.

VanderZanden, M. J. and J. B. Rasmussen 1996. A trophic position model of pelagic food webs: Impact on contaminant bioaccumulation in lake trout. *Ecological Monographs* **66**(4): 451-477.

Wallace, D.C. (1971). Age, growth, year class strength, and survival rates of the white perch, *Morone americana* (Gmelin) in the Delaware River in the vicinity of Artificial Island. *Ches. Science* **12**: 205-218.